# excelsion

# **Excelsior PR-930**

## **Excelsior Performance Finish Remover**

Version Revision Date: MSDS Number: Date of last issue: 1.0 12/12/2016 PR-930 03/04/2016

#### **SECTION 1. IDENTIFICATION**

**Product Name** : Excelsior Performance Finish Remover

Product Code : PR-930

Supplier : RHC

Address : 1602 N. Union St.

Fostoria, OH 44830

**Telephone** : (844) 393 - 4044

**Fax** : (419) 436 - 2482

Emergency Telephone : (CHEMTREC): (800) 424-9300

Number (CHEMTREC International): (703) 527-3887

Industrial Health/Spill Emergency: (706) 277-1300

## **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification : H227 – Flam. Liq. 4

H315 – Skin Corr. 2 H320 – Eye Dam. 2B

See section 16 for full text of H-Phrases

#### **GHS Label Elements**

Hazard Pictograms



Signal Word : Warning

**Hazard Statement** : H227 - Combustible liquid.

H315 + H320 - Causes skin and eye irritation.

Precautionary Statement : Prevention:

P210 - Keep away from heat/sparks/open flames/hot surfaces.

P264 - Wash skin thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product. P280 - Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P302 + P353 - IF ON SKIN: Rinse skin with

water/shower.

P332 + P313 - If skin irritation occurs, get medical

advice/attention.

# excelsion

## **Excelsior PR-930**

## **Excelsior Performance Finish Remover**

Version Revision Date: MSDS Number: Date of last issue: 1.0 12/12/2016 PR-930 03/04/2016

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P337 + P313 - If eye/irritation persists: Get medical advice/

attention. **Disposal:** 

P501 - Dispose of contents/ container to an approved waste

disposal plant.

Other Hazards : None listed

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Classification : Mixtures

**Description** : Cleaner

### **Hazardous Components**

CAS#	Chemical Name	Percentage
Proprietary	Surfactant Blend	20 - 30
100-51-6	Benzyl Alcohol	10 – 20
29911-27-1	Dipropylene Glycol n-Propyl Ether	5 – 10
141-43-5	2-aminoethanol	1 – 5
1300-72-7	Sodium Xylene Sulfonate	1 – 5
78-51-3	Tributoxyethyl Phosphate	1 - 5

#### **SECTION 4. FIRST AID MEASURES**

Inhalation : If inhaled, move to fresh air in case of accidental inhalation of

vapors. Provide oxygen or artificial respiration if needed. Call

a physician or poison control center immediately.

**Skin Contact** : In case of skin contact, wash off immediately with soap and

plenty of water while removing all contaminated clothes and

shoes. If symptoms persist, call a physician.

Eye Contact : In case of eye contact, remove contact lens and rinse

immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Seek

medical advice.

**Ingestion** : Do not induce vomiting without medical advice. If conscious,

drink plenty of water. Never give anything by mouth to an

unconscious person.

#### Most Important Symptoms and effects, Both Acute and Delayed

**Eye Contact** : Causes eye irritation.

**Skin Contact** : Causes skin irritation.

# excelsion

## **Excelsior PR-930**

## **Excelsior Performance Finish Remover**

Version Revision Date: MSDS Number: Date of last issue: 1.0 12/12/2016 PR-930 03/04/2016

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable Extinguishing

Media

: Foam

Carbon dioxide (CO2)

ABC powder Water mist

**Specific Hazards During** 

Firefighting

: Burning produces irritant fumes. Exposure to decomposition

products may be a hazard to health.

**Specific Extinguishing** 

Methods

: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water

spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

Special Protective

Equipment for Firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal Precautions, Protective Equipment and Emergency Procedures : Use personal protective equipment. Ensure adequate ventilation. Material can create slippery conditions. Use non-slip safety shoes in areas where spills or leaks can occur.

**Environmental Precautions** 

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Do not allow contact with soil, surface or ground water. Do not allow uncontrolled discharge of product

into the environment.

Methods and Materials for Containment and Cleaning

Up

: Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel. Pick up and transfer to properly labelled

containers. Clean contaminated floors and objects thoroughly

while observing environmental regulations.

## **SECTION 7. HANDLING AND STORAGE**

Advice on Protection
Against Fire and Explosion

: The product is flammable but not readily ignited.

Advice on Safe Handling

: Wear personal protective equipment. Handle with care. Take care to avoid waste and spillage when weighing, loading and

mixing the product.

**Conditions for Safe** 

Storage

: No smoking. Keep in properly labelled containers. Observe label precautions. Keep containers tightly closed in a dry, cool

and well-ventilated place.





## **Excelsior Performance Finish Remover**

Version Revision Date: MSDS Number: Date of last issue: 1.0 12/12/2016 PR-930 03/04/2016

Materials to Avoid : Do not freeze. Keep away from oxidizing agents and strongly

acid or alkaline materials. Keep away from food and drink.

Keep away from tobacco products.

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## **Components with Workplace Control Parameters**

Components	CAS-No.	Value Type (Form of Exposure)	Control Parameters / Permissible Concentration	Basis
Tributoxyethyl Phosphate	78-51-3	TWA	25 ppm	OSHA
		TWA	20 ppm	ACGIH
2-aminoethanol	141-43-5	TWA	6 ppm	OSHA (PEI)
Benzyl Alcohol	100-51-6	TWA	6 mg/m3	Osha (PEL)

#### **Exposure Controls**

**Engineering Controls** : Ensure adequate ventilation, especially in confined areas.

Maintain air concentrations below occupational exposure standards. Ensure all national/local regulations are observed.

**Environmental Exposure** 

Controls

: Do not allow product to be released into the environment.

**Consumer Exposure** 

**Controls** 

: Do not eat, drink or smoke during use.

#### **Personal Protective Equipment**

**Respiratory Protection** : Use a NIOSH-approved respirator or self-contained breathing

apparatus whenever exposure may exceed established Oc-

cupational Exposure Limits.

**Hand Protection** : Wear impervious gloves.

Eye Protection : Wear safety glasses with side-shields or tightly fitting safety

goggles.

**Skin & Body Protection** : Wear suitable protective, chemically resistant clothing and

footwear. Rinse skin after contact. Change contaminated

clothing before reuse.

Protective Measures : Avoid contact with skin. When using do not eat, drink or

smoke. Wear personal protective equipment comprising: suitable protective gloves, safety goggles and protective







Version Revision Date: MSDS Number: Date of last issue: 1.0 12/12/2016 PR-930 03/04/2016

clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous

substance at the specific workplace.

**Hygiene Measures** : Do not smoke. Keep away from food and drink. Avoid contact

with skin, eyes and clothing. Change working clothes after each workshift. Remove and wash contaminated clothing and

gloves, including the inside, before re-use.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Liquid

Color : Clear

Odor : Characteristic

**pH** : 11

Melting Point / Range : No data available

Freezing Point : No data available

**Boiling Point / Range** : 212 °F (100° C)

**Flash Point** : 167 °F (75° C)

Flammability : No data available

Auto-Ignition Temperature : No data available

Decomposition Temperature

: No data available

Upper & Lower

Flammability Limit

: None

Specific Gravity : 1.007

Water Solubility : Completely soluble

Solvent Solubility : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

**Reactivity** : Stable under normal conditions.

Chemical Stability : Stable under recommended handling and storage conditions

(see section 7).



## **Excelsior PR-930**

## **Excelsior Performance Finish Remover**

Version Revision Date: MSDS Number: Date of last issue: 1.0 12/12/2016 PR-930 03/04/2016

**Possibility of Hazardous** 

Reactions

: None known.

Conditions to Avoid : Protect from freezing.

**Incompatible Materials** : Strong acids, strong bases, strong oxidizers.

**Hazardous Decomposition** 

**Products** 

Carbon dioxide (CO2), carbon monoxide (CO), oxides of

nitrogen (NOx), dense black smoke.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## **Toxicological Effects (Product)**

Acute Toxicity : None

**Skin Corrosion / Irritation** : May cause skin irritation.

Serious Eye Damage /

Irritation

: May cause eye irritiation.

Respiratory or Skin

Sensitization

: Not classified

Germ Cell Mutagenicity : Not classified

Teratogenicity : Not classified

Carcinogenicity : Not classified

Reproductive Toxicity : Not classified

Aspiration Hazard : Not classified

Specific Target Organ Toxicity (Single or Repeated Exposure) : Not classified

## **Carcinogenic Categories**

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.



## **Excelsior PR-930**

## **Excelsior Performance Finish Remover**

Version Revision Date: MSDS Number: Date of last issue: 1.0 12/12/2016 PR-930 03/04/2016

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by NTP.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity (Product)**

**Toxicity** : Not available

Persistence & Degradability Not available

Bioaccumulative Potential : Not available

Mobility in Soil : Not available

Other Adverse Effects : None known

## **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Disposal Methods**

Waste from Residues : Do not dispose of waste into sewer. Can be landfilled when in

accordance with federal, state/province and local regulations.

Contaminated Packaging : Clean container with water. Empty containers should be taken

to an approved waste handling site for recycling or disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

## **International Regulation**

**IMDG-Code** : Not regulated as a dangerous good

IATA-DGR : Not regulated as a dangerous good

**UNRTDG** : Not regulated as a dangerous good

## **National Regulation**

DOT : Not regulated as a dangerous good

49 CFR : Not regulated as a dangerous good



## **Excelsior PR-930**

## **Excelsior Performance Finish Remover**

Version MSDS Number: Date of last issue: Revision Date: 03/04/2016 1.0 12/12/2016 PR-930

## **SECTION 15. REGULATORY INFORMATION**

**SARA 302** : Immediate (acute) health hazard.

**SARA 313** : This material does not contain any chemical components with

> known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop 65 This product does not contain any chemicals known to State

of California to cause cancer, birth defects, or any other repro-

ductive harm.

#### **SECTION 16. OTHER INFORMATION**

**Revision Date** : 6.8.2016

Other Information : This document has been prepared in accordance with the

SDS requirements of OSHA Hazard Communication Standard

29 CFR 1910.1200.

#### **GHS Full Text Phrases**

GHS Code	GHS Phrase
H227	Combustible Liquid
H315	Causes skin irritation
H320	Causes eye irritation

H227 - Combustible liquid.

H315 – Causes skin irritation.

H320 - Causes eye irritation.

#### **Further information**

#### NFPA:

Flammability

Special hazard.

#### HMIS III:

HEALTH	2
FLAMMABILITY	2
PHYSICAL HAZARD	В

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High

4 = Extreme, \* = Chronic



# **Excelsior PR-930**

## **Excelsior Performance Finish Remover**

Version Revision Date: MSDS Number: Date of last issue: 1.0 12/12/2016 PR-930 03/04/2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.